



DFW

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Application of : Gereg, Jr., G. W. ) Art Unit: 1722  
U.S. Appln. No. : 10/755,531 ) Examiner: Nguyen, T.T  
Confirmation No. : 1324  
U.S. Filing Date : 01/12/2004  
Title of Invention : Apparatus For Predicting The Suitability Of A Substance For Dry  
Granulation By Roller Compaction Using Small Sample Sizes  
Attny. Docket No. : 9/191-1-D1

Mail Stop Amendment  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**SUPPLEMENTAL RESPONSE TO OFFICE ACTION**

Sir:

In response to the Office Action dated 03/14/2005, enclosed is a copy of the response that was mailed to you on April 7, 2005 with and incorrect Serial Number. The correct Serial Number is 10/755,531.

We have not received the Return Post Card documenting receipt of the response mailed on 4/7/2005, hence this supplemental response.

**Certificate of Mailing Under 37 C.F.R. § 1.8(a)**

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to  
Mail Stop Amendment  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Anthony P. Bottino  
Reg. No. 41,629

June 2, 2005

Dated

Respectfully submitted,

Anthony P. Bottino  
Registration No. 41,629  
Attorney for Applicants

BOEHRINGER INGELHEIM CORPORATION  
Patent Department  
900 Ridgebury Road/P.O. Box 368  
Ridgefield, CT 06877  
Telephone: (203) 791-6764  
Facsimile: (203) 798-4408